1/22
------

2701 Busse Road Elk Grove Village, IL 60007 · Tel (800) 766-0076 · Fax (708) 562-9250

# CERTIFICATE OF CONFORMANCE

- ➤ SERIES 70 High Performance Flanged Full Port Ball Valves Class 150/300

  Design to API 608 5<sup>th</sup> ed. & ASME B16.34; Flanges conform to ASME B16.5; Face to Face dimension conforms to ASME B16.10; ISO 5211 Mounting Dimensions; Inspection and test to API 598.
- SERIES FS70 High Performance Fire Safe Flanged Full Port Ball Valves Class 150/300
  Design to API 608 5<sup>th</sup> ed. & ASME B16.34; Flanges conform to ASME B16.5; Face to Face dimension conforms to ASME B16.10; Fire Type Testing Requirements conform to API 607 6<sup>th</sup> Edition; ISO 5211 Mounting Dimensions; Inspection and test to API 598.
- ➤ SERIES C70 High Performance Cryogenic Flanged Full Port Ball Valves Class 150/300

  Basic design to ASME B16.34; Flanges conform to ASME B16.5; Face to Face dimension conforms to ASME B16.10; ISO 5211 Mounting Dimensions; Inspection and test to API 598.
- ➤ SERIES FSC70 High Performance Fire Safe Cryogenic Flanged Full Port Ball Valves

  Basic design to ASME B16.34; Flanges conform to ASME B16.5; Face to Face dimension conforms to ASME B16.10; Fire Type Testing Requirements conform to API 607 7th Edition; ISO 5211 Mounting Dimensions; Inspection and test to API 598.
- ➤ SERIES 80/89 High Performance 3 Piece Ball Valves Class 300/800

  Design to API 608 5<sup>th</sup> ed. & ASME B16.34; Socket weld and threaded ends conform to ASME B16.11; Flange ends conform to ASME B16.5; Butt weld ends conform to ASME B16.25; ISO 5211 Mounting Dimensions; Inspection and test to API 598.
- ➤ SERIES FS80/FS89 High Performance Fire Safe 3 Piece Ball Valves Class 300/800

  Design to API 608 5<sup>th</sup> ed. & ASME B16.34; Socket weld and threaded ends conform to ASME B16.11; Flange ends conform to ASME B16.5; Butt weld ends conform to ASME B16.25; Fire Type Testing Requirements conform to API 607 6<sup>th</sup> Edition; ISO 5211 Mounting Dimensions; Inspection and test to API 598.
- SERIES C80/C89 High Performance Cryogenic 3 Piece Ball Valves Class 300/600
  Basic design to ASME B16.34; Socket weld and threaded ends conform to ASME B16.11;
  Flange ends conform to ASME B16.5; Butt weld ends conform to ASME B16.25; ISO 5211
  Mounting Dimensions; Inspection and test to API 598.
- SERIES FSC80/FSC89 High Performance Fire Safe Cryogenic 3 Piece Ball Valves
  Basic design to ASME B16.34; Socket weld and threaded ends conform to ASME B16.11;
  Butt weld ends conform to ASME B16.25; Fire Type Testing Requirements conform to API 607 7th Edition; ISO 5211 Mounting Dimensions; Inspection and test to API 598.



- SERIES 74 High Performance Flanged Standard Port Ball Valves Class 150/300
  Design to API 608 5<sup>th</sup> ed. & ASME B16.34; Flanges conform to ASME B16.5; Face to Face dimension conforms to ASME B16.10; ISO 5211 Mounting Dimensions; Inspection and test to API 598.
- ➤ SERIES FS74 High Performance Fire Safe Flanged Standard Port Ball Valves Class 150/300 Design to API 608 5<sup>th</sup> ed. & ASME B16.34; Flanges conform to ASME B16.5; Face to Face dimension conforms to ASME B16.10; Fire Type Testing Requirements conform to API 607 6<sup>th</sup> Edition; ISO 5211 Mounting Dimensions; Inspection and test to API 598.
- ➤ SERIES C74 High Performance Cryogenic Flanged Standard Port Ball Valves Class 150/300

  Basic design to ASME B16.34; Flanges conform to ASME B16.5; Face to Face dimension conforms to ASME B16.10; ISO 5211 Mounting Dimensions; Inspection and test to API 598.
- ➤ SERIES FSC74 High Performance Fire Safe Cryogenic Flanged Standard Port Ball Valves

  Basic design to ASME B16.34; Flanges conform to ASME B16.5; Face to Face dimension conforms to ASME B16.10; Fire Type Testing Requirements conform to API 607 7th Edition; ISO 5211 Mounting Dimensions; Inspection and test to API 598.
- SERIES 84/99 High Performance 3 Piece Ball Valves Class 300/600
  ASME B16.34 compliant; Socket weld and threaded ends conform to ASME B16.11; Flange ends conform to ASME B16.5; Butt weld ends conform to ASME B16.25; ISO 5211
  Mounting Dimensions; Inspection and test to ASME B16.34.
- SERIES FS84/FS99 Fire Safe High Performance 3 Piece Ball Valves Class 600 ASME B16.34 compliant; Socket weld and threaded ends conform to ASME B16.11; Flange ends conform to ASME B16.5; Butt weld ends conform to ASME B16.25; Fire Type Testing Requirements conform to API 607 4<sup>th</sup> Edition; ISO 5211 Mounting Dimensions; Inspection and test to ASME B16.34.
- SERIES CL84/CL99/CL50 Chlorine Ball Valves

  ASME B16.24 compliant: Scalest world and threeded

ASME B16.34 compliant; Socket weld and threaded ends conform to ASME B16.11; Flange ends conform to ASME B16.5; Butt weld ends conform to ASME B16.25; ISO 5211 Mounting Dimensions; Inspection and test to ASME B16.34 & API 598.

SERIES W84/W99/W50 Ball Valves Class 300/600 For Steam Services
ASME B16.34 compliant. Socket Weld and Threaded ends conform to ASME B16.11; Flange ends conform to ASME B16.5; Butt weld ends conform to ASME B16.25; ISO 5211
Mounting Dimensions; Inspection and test to ASME B16.34.

> SERIES FB84/FB99 Flush Bottom Ball Valves Class 300/600

Socket Weld and Threaded ends conform to ASME B16.11; Flange ends conform to ASME B16.5; Butt weld ends conform to ASME B16.25; ISO 5211 Mounting Dimensions; Test to ASME B16.34.



## ➤ SERIES D84/D99 HIGH PERFORMANCE 3 PIECE DIVERTER VALVES Class 300/600

Design and manufacture to MSS-SP-110; Socket Weld and Threaded ends conform to ASME B16.11; Flange ends conform to ASME B16.5; Butt weld ends conform to ASME B16.25; ISO 5211 Mounting Dimensions; Test to ASME B16.34.

### ➤ SERIES V84 V-Ported High Performance 3 Piece Ball Valves Class 300/600

ASME B16.34 compliant. ANSI Class VI Shut Off; Socket weld and threaded ends conform to ASME B16.11; Flange ends conform to ASME B16.5; Butt weld ends conform to ASME B16.25; ISO 5211 Mounting Dimensions; Inspection and test to ASME B16.34

# ➤ SERIES 60 High Pressure Ball Valves 3 Piece Ball Valves Class 2500

Socket Weld and Threaded ends conform to ASME B16.11; Flange ends conform to ASME B16.5; Butt weld ends conform to ASME B16.25; Test to ASME B16.34

## > SERIES 88 High Purity Tube Full Port 3 Piece Ball Valves

Design and manufacture to MSS-SP-110; Threaded ends conform to ASME B16.11. Tubing ends and Tri-clamp ends conform to ASME BPE-2009 Bioprocessing Equipment; ISO 5211 Mounting Dimensions; Test to ASME B16.34.

## ➤ SERIES D88 High Purity Tube Full Port Diverter Ball Valves

Design and manufacture to MSS-SP-110; Threaded ends conform to ASME B16.11. Tubing ends and Tri-clamp ends conform to ASME BPE-2009 Bioprocessing Equipment; ISO 5211 Mounting Dimensions; Test to ASME B16.34.

### > SERIES 66 High Purity Tube Full Port 3 Piece Ball Valves

Design and manufacture to MSS-SP-110; Threaded ends conform to ASME B16.11; Tubing ends and Tri-clamp ends conform to ASME BPE-2009 Bioprocessing Equipment; ISO 5211 Mounting Dimensions; Test to ASME B16.34.

# > SERIES N66 High Purity Tube Full Port 3 Piece Ball Valves

Design and Manufacture to MSS-SP-110; Threaded ends conform to ASME B16.11; Tubing ends and Tri-clamp ends conform to ASME BPE-2009 Bioprocessing Equipment; Test to ASME B16.34.

## ➤ SERIES 86 Instrumentation 3 Piece Tube Full Port Ball Valves

Design and Manufacture to MSS-SP-110; Optional threaded ends conform to ASME B16.11; Optional Tubing ends and Tri-clamp ends conform to ASME BPE-2009 Bioprocessing Equipment; Test to ASME B16.34.

# > SERIES M70 Metal Seated High Performance Full Port Ball Valves Class 150/300

Design to API 608 5<sup>th</sup> ed. & ASME B16.34. Flanges conform to ASME B16.5; Face to Face dimension conforms to ASME B16.10; Test to ANSI/FCI 70-2, API 598.



## ➤ SERIES M80/M89 Metal Seated High Performance Ball Valves Class 800

Design to API 608 5<sup>th</sup> ed. & ASME B16.34. Socket weld and threaded ends conform to ASME B16.11; Flange ends conform to ASME B16.5; Butt welding ends conform to ASME B16.25. Test to ANSI/FCI 70-2, API 598.

#### > SERIES FS54 Flanged Standard Port Fire Safe Ball Valves Class 150/300

ASME B16.34 compliant; Flange ends conform to ASME B16.5; Face to face conforms to ASME B16.10; Fire Type Testing Requirements conform to API 607 4<sup>th</sup> Edition; ISO 5211 Mounting Dimensions; Test to ASME B16.34.

# ➤ SERIES 54 Flanged Standard Port Ball Valves Class 150

ASME B16.34 compliant; Flange ends conform to ASME B16.5; Face to face conforms to ASME B16.10; ISO 5211 Mounting Dimensions; Test to ASME B16.34.

#### ➤ SERIES D54 Flanged Diverter Ball Valves Class 150/300

Flange ends conform to ASME B16.5; Face to face conforms to ASME B16.10; ISO 5211 Mounting Dimensions; Test to ASME B16.34.

## ➤ SERIES FS50 Flanged Fire Safe Full Port Ball Valves Class 150/300/600

ASME B16.34 compliant; Flange ends conform to ASME B16.5; Face to face conforms to ASME B16.10; Fire Type Testing Requirements conform to ANSI/API 607 4<sup>th</sup> Edition; ISO 5211 Mounting Dimensions; Test to ASME B16.34.

### ➤ SERIES 50 Flanged Full Port Ball Valves Class 150

ASME B16.34 compliant; Flange ends conform to ASME B16.5; Face to face conforms to ASME B16.10; ISO 5211 Mounting Dimensions; Test to ASME B16.34.

### ➤ SERIES 75 High Performance Sanitary Multi-Port Ball Valves

Design and Manufacture to MSS-SP-110; Threaded ends conform to ASME B16.11; Tubing ends and Tri-clamp ends conform ASME BPE-2009 Bioprocessing Equipment; Test to ASME B16.34.

### > SERIES 76 High Performance 3 & 4 Way Ball Valves

Design and Manufacture to MSS-SP-110; Threaded ends conform to ASME B16.11; Test to ASME B16.34.

### ➤ SERIES 77 High Performance 3 & 4 Way Ball Valves

Design and Manufacture to MSS-SP-110; Socket weld and threaded ends conform to ASME B16.11; Butt weld ends conform to ASME B16.25; Flange ends conform to ASME B16.5; Tubing ends and Tri-clamp ends conform to ASME BPE-2009 Bioprocessing Equipment; Test to ASME B16.34.

#### ➤ SERIES 50B7 Seal Weld Threaded Ends Full Port Valves

Design and Manufacture to MSS-SP-110; Threaded ends conform to ASME B16.11; NACE MR-0175; Test to ASME B16.34.



# ➤ SERIES 50C7 Seal Weld 3000# Ball Valves

Design and Manufacture to ASME B16.34; Threaded ends conform to ASME B16.11; NACE MR-0175-2002; Test to ASME B16.34.

#### > SERIES 50F7 Seal Weld 6000# Ball Valves

Design and Manufacture to ASME B16.34 CL2500; Threaded ends conform to ASME B16.11; NACE MR-0175-2002; ISO 5211 Mounting Dimensions; Test to ASME B16.34.

## ➤ SERIES 5457 Seal Weld Threaded Standard Port Valves

Design and Manufacture to MSS-SP-110. Threaded ends conform to ASME B16.11; Test to ASME B16.34.

## ➤ SERIES 15 Sanitary Butterfly Valves

Tubing ends and Tri-clamp ends conform ASME BPE-2009 Bioprocessing Equipment; Test to API 598.

# > SERIES 17 Butterfly Valves

Compliant to MSS-SP-67 and API 609; Engineered to be used with ANSI B16.1 Class 125 (Iron) and ANSI B16.5 (Steel) Class 150 Flanges; MSS-SP-25 Marking; ISO 5211 Mounting Pad.

### ➤ SERIES 5303 3 Pc. Socket Full Port Ball Valve

Design and Manufacture to MSS-SP-110; Butt Weld Ends conform to ASME B16.25; Socket weld and threaded ends conform to ASME B16.11; ISO 5211 Mounting Dimensions; Test to ASME B16.34.

#### > SERIES 3903 3 Pc. Socket Full Port Ball Valves

Design and Manufacture to MSS-SP-110; Socket weld and threaded ends conform to ASME B16.11; Test to ASME B16.34.

# ➤ SERIES 50M76 Threaded Full Port Ball Valves

Design and Manufacture to MSS-SP-110; Threaded Ends conform to ASME B16.11; Test to ASME B16.34.

#### ➤ SERIES 10 Brass Full Port Ball Valves

Design and Manufacture to MSS-SP-110; Threaded Ends conform to ASME B16.11; Test to ASME B16.34.

# ➤ SERIES 11 Direct Mount 2Piece Ball Valve

Design and Manufacture to MSS-SP-110; Threaded Ends conform to ASME B16.11; ISO 5211 Mounting Dimensions; Test to ASME B16.34.

# > SERIES 12 High Performance Direct-Act Ball Valve.

Design and Manufacture to MSS-SP-110; Threaded Ends conform to ASME B16.11; ISO 5211 Mounting Dimensions; Test to ASME B16.34.



#### ➤ SERIES 13 Direct-Act 3 Piece Ball Valves.

Design and Manufacture to MSS-SP-110; Socket Weld and threaded ends to ASME B16.11; Butt Weld Ends conform to ASME B16.25; ISO 5211 Mounting Dimensions; Test to ASME B16.34.

### ➤ SERIES 58876 Threaded Reduced Port Ball Valves.

Design and Manufacture to MSS-SP-110; Threaded Ends conform to ASME B16.11; Test to ASME B16.34.

#### ➤ SERIES 25 Cast Steel Flanged Swing Check Valves 150#/300#/600#

Design to ASME B16.34; Flange ends conform to ASME B16.5; Face to Face Conform to ASME B16.10; Butt Weld Ends Conform to ASME B16.25; Inspection and test to API 598.

## ➤ SERIES 25 Stainless Steel Flanged Swing Check Valves 150#/300#

Design to ASME B16.34; Flange ends conform to ASME B16.5; Face to Face Conform to ASME B16.10; Butt Weld Ends Conform to ASME B16.25; Inspection and test to API 598.

### ➤ SERIES 35 Cast Steel Flanged Gate Valves 150#/300#/600#

Design to API600/ASME B16.34; Flange ends conform to ASME B16.5; Face to Face Conform to ASME B16.10; Butt Weld Ends Conform to ASME B16.25; Inspection and test to API 598.

## ➤ SERIES 35 Stainless Steel Flanged Gate Valves 150#/300#

Design to API603/ASME B16.34; Flange ends conform to ASME B16.5; Face to Face Conform to ASME B16.10; Butt Weld Ends Conform to ASME B16.25; Inspection and test to API 598.

#### ➤ SERIES 45 Cast Steel Flanged Globe Valves 150#/300#/600#

Design to ASME B16.34; Flange ends conform to ASME B16.5; Face to Face Conform to ASME B16.10; Butt Weld Ends Conform to ASME B16.25; Inspection and test to API 598.

### ➤ SERIES 45 Stainless Steel Flanged Globe Valves 150#/300#

Design to ASME B16.34; Flange ends conform to ASME B16.5; Face to Face Conform to ASME B16.10; Butt Weld Ends Conform to ASME B16.25; Inspection and test to API 598.

## ➤ SERIES 24834 Forged Carbon Steel Class 800 Swing or Piston Check Valves

Design to API 602-9<sup>th</sup> Edition; Socket weld end to ASME B16.11; Threaded ends conform to ANSI B1.20.1; NACE MR-0175; Test to API 598.

# ➤ SERIES 24836 Forged Stainless Steel Swing or Piston Check Valves Class 800

Design to API 602-9th Edition; Socket weld end to ASME B16.11; Threaded ends conform to ANSI B1.20.1; NACE MR-0175; Test to API 598.

# ➤ SERIES 34834 Forged Carbon Steel Gate Valves Class 800

Design to API 602-9th Edition; Socket weld end to ASME B16.11; Threaded ends conform to ANSI B1.20.1; NACE MR-0175; Test to API 598.

2701 Busse Road Elk Grove Village, IL 60007 • 800-766-0076 Phone • 708.562.9250 Fax • <u>www.asc-es.com</u>



## ➤ SERIES 34836 Forged Stainless Steel Gate Valves Class 800

Design to API 602-9th Edition; Socket weld end to ASME B16.11; Threaded ends conform to ANSI B1.20.1; NACE MR-0175; Test to API 598.

# ➤ SERIES 44834 Forged Carbon Steel Globe Valves Class 800

Design to API 602-9th Edition; Socket weld end to ASME B16.11; Threaded ends conform to ANSI B1.20.1; NACE MR-0175; Test to API 598.

### > SERIES 44836 Forged Stainless Steel Globe Valves Class 800

Design to API 602-9th Edition; Socket weld end to ASME B16.11; Threaded ends conform to ANSI B1.20.1; NACE MR-0175; Test to API 598

## ➤ SERIES 20276 Threaded Swing Check Valves

Design and Manufacture to MSS-SP-110; Threaded ends conform to ASME B16.11; Test to ASME B16.34.

#### ➤ SERIES 30276 Threaded Gate Valves

Design and Manufacture to MSS-SP-110; Threaded ends conform to ASME B16.11; Test to ASME B16.34.

#### ➤ SERIES 40276 Threaded Globe Valves

Design and Manufacture to MSS-SP-110; Threaded ends conform to ASME B16.11; Test to ASME B16.34.

#### ➤ SERIES 58B74 1 Piece Uni-Body Ball Valve

Design and Manufacture to MSS-SP-110; Threaded ends conform to ASME B16.11; NACE MR-1075-2002; Test to ASME B16.34.

#### Note:

- ASC Engineered Solutions Sharpe<sup>®</sup> Valves facility is Certified ISO 9001:2015
  - Scope: The design and manufacture of valves. The distribution of pipe, valves, fittings, actuators and accessories.